

Glassfyre II

SIZE AND SPECIFICATION CHART

Width xx xx	Height xx	Glassfyre will fit fireplace openings of these sizes				OVERALL FINISHED FRAME SIZE	
		WIDTH		HEIGHT		W*	H
		MIN	MAX	MIN	MAX		
*2223	17	16"	21 1/2"	20 3/4"	22 3/4"	22 1/2" x 23 3/8"	
*2225	19	16"	21 1/2"	22 3/4"	24 3/4"	22 1/2" x 25 3/8"	
*2227	21	16"	21 1/2"	24 3/4"	26 3/4"	22 1/2" x 27 3/8"	
*2229	23	16"	21 1/2"	26 3/4"	28 3/4"	22 1/2" x 29 3/8"	
*2231	25	16"	21 1/2"	28 3/4"	30 3/4"	22 1/2" x 31 3/8"	
*2233	27	16"	21 1/2"	30 3/4"	32 3/4"	22 1/2" x 33 3/8"	
*2423	19	18"	23 1/2"	20 3/4"	22 3/4"	24 1/2" x 23 3/8"	
*2425	22	18"	23 1/2"	22 3/4"	24 3/4"	24 1/2" x 25 3/8"	
*2427	24	18"	23 1/2"	24 3/4"	26 3/4"	24 1/2" x 27 3/8"	
*2429	27	18"	23 1/2"	26 3/4"	28 3/4"	24 1/2" x 29 3/8"	
*2431	29	18"	23 1/2"	28 3/4"	30 3/4"	24 1/2" x 31 3/8"	
*2433	31	18"	23 1/2"	30 3/4"	32 3/4"	24 1/2" x 33 3/8"	
*2823	26	22"	27 1/2"	20 3/4"	22 3/4"	28 1/2" x 23 3/8"	
*2825	28	22"	27 1/2"	22 3/4"	24 3/4"	28 1/2" x 25 3/8"	
*2827	30	22"	27 1/2"	24 3/4"	26 3/4"	28 1/2" x 27 3/8"	
*2829	32	22"	27 1/2"	26 3/4"	28 3/4"	28 1/2" x 29 3/8"	
*2831	34	22"	27 1/2"	28 3/4"	30 3/4"	28 1/2" x 31 3/8"	
*2833	36	22"	27 1/2"	30 3/4"	32 3/4"	28 1/2" x 33 3/8"	
3223	34	26"	31 1/2"	20 3/4"	22 3/4"	32 5/8" x 23 3/8"	
3225	36	26"	31 1/2"	22 3/4"	24 3/4"	32 5/8" x 25 3/8"	
3227	38	26"	31 1/2"	24 3/4"	26 3/4"	32 5/8" x 27 3/8"	
3229	40	26"	31 1/2"	26 3/4"	28 3/4"	32 5/8" x 29 3/8"	
3231	41	26"	31 1/2"	28 3/4"	30 3/4"	32 5/8" x 31 3/8"	
3233	43	26"	31 1/2"	30 3/4"	32 3/4"	32 5/8" x 33 3/8"	
3623	38	30"	35 1/2"	20 3/4"	22 3/4"	36 5/8" x 23 3/8"	
3625	39	30"	35 1/2"	22 3/4"	24 3/4"	36 5/8" x 25 3/8"	
3627	41	30"	35 1/2"	24 3/4"	26 3/4"	36 5/8" x 27 3/8"	
3629	45	30"	35 1/2"	26 3/4"	28 3/4"	36 5/8" x 29 3/8"	
3631	47	30"	35 1/2"	28 3/4"	30 3/4"	36 5/8" x 31 3/8"	
3633	49	30"	35 1/2"	30 3/4"	32 3/4"	36 5/8" x 33 3/8"	
4023	40	34"	39 1/2"	20 3/4"	22 3/4"	40 5/8" x 23 3/8"	
4025	42	34"	39 1/2"	22 3/4"	24 3/4"	40 5/8" x 25 3/8"	
4027	46	34"	39 1/2"	24 3/4"	26 3/4"	40 5/8" x 27 3/8"	
4029	49	34"	39 1/2"	26 3/4"	28 3/4"	40 5/8" x 29 3/8"	
4031	52	34"	39 1/2"	28 3/4"	30 3/4"	40 5/8" x 31 3/8"	
4033	55	34"	39 1/2"	30 3/4"	32 3/4"	40 5/8" x 33 3/8"	
4423	46	38"	43 1/2"	20 3/4"	22 3/4"	44 5/8" x 23 3/8"	
4425	47	38"	43 1/2"	22 3/4"	24 3/4"	44 5/8" x 25 3/8"	
4427	51	38"	43 1/2"	24 3/4"	26 3/4"	44 5/8" x 27 3/8"	
4429	53	38"	43 1/2"	26 3/4"	28 3/4"	44 5/8" x 29 3/8"	
4431	56	38"	43 1/2"	28 3/4"	30 3/4"	44 5/8" x 31 3/8"	
4433	59	38"	43 1/2"	30 3/4"	32 3/4"	44 5/8" x 33 3/8"	
4823	50	42"	47 1/2"	20 3/4"	22 3/4"	48 5/8" x 23 3/8"	
4825	54	42"	47 1/2"	22 3/4"	24 3/4"	48 5/8" x 25 3/8"	
4827	54	42"	47 1/2"	24 3/4"	26 3/4"	48 5/8" x 27 3/8"	
4829	59	42"	47 1/2"	26 3/4"	28 3/4"	48 5/8" x 29 3/8"	
4831	61	42"	47 1/2"	28 3/4"	30 3/4"	48 5/8" x 31 3/8"	
4833	64	42"	47 1/2"	30 3/4"	32 3/4"	48 5/8" x 33 3/8"	
5223	53	46"	51 1/2"	20 3/4"	22 3/4"	52 5/8" x 23 3/8"	
5225	56	46"	51 1/2"	22 3/4"	24 3/4"	52 5/8" x 25 3/8"	
5227	61	46"	51 1/2"	24 3/4"	26 3/4"	52 5/8" x 27 3/8"	
5229	63	46"	51 1/2"	26 3/4"	28 3/4"	52 5/8" x 29 3/8"	
5231	67	46"	51 1/2"	28 3/4"	30 3/4"	52 5/8" x 31 3/8"	
5233	70	46"	51 1/2"	30 3/4"	32 3/4"	52 5/8" x 33 3/8"	
5623	62	50"	55 1/2"	20 3/4"	22 3/4"	56 5/8" x 23 3/8"	
5625	64	50"	55 1/2"	22 3/4"	24 3/4"	56 5/8" x 25 3/8"	
5627	76	50"	55 1/2"	24 3/4"	26 3/4"	56 5/8" x 27 3/8"	
5629	82	50"	55 1/2"	26 3/4"	28 3/4"	56 5/8" x 29 3/8"	
5631	87	50"	55 1/2"	28 3/4"	30 3/4"	56 5/8" x 31 3/8"	
5633	92	50"	55 1/2"	30 3/4"	32 3/4"	56 5/8" x 33 3/8"	

ORDERING INFORMATION

1. SPECIFY MODEL NUMBER, SIZE & FINISH
2. FULLFOLD DOORS ARE STANDARD. BI-FOLD OR CABINET DOORS ARE OPTIONAL, SEE OPTIONS BOX FOR PRICING.
3. MANY CUSTOM OPTIONS ARE AVAILABLE, SEE "MODIFICATION OF CONSTRUCTION" PAGE.
4. THE FRAME FINISH IS USED FOR PRICING.

PRODUCT INFORMATION

1. THESE PRODUCTS ARE STANDARD RECTANGULAR SIZES.
 2. INCLUDES HIGH QUALITY, HEAVY DUTY 19 GAUGE MESH.
 3. SIZES 2223 THROUGH 2833 HAVE ONE FULL-FOLD DOOR OPENING LEFT TO RIGHT & ONE PANEL OF MESH OPENING LEFT TO RIGHT. OPENING RIGHT TO LEFT OR A CABINET DOOR IS OPTIONAL AT NO EXTRA CHARGE.
 4. GATE MESH NOT AVAILABLE WITH IN-TRACK BI-FOLD DOORS.
- * OVERALL WIDTH IS MEASURED AT THE SIDEBARS, THE TOP BAR OVER LAPS THE SIDEBARS BY APPROXIMATELY 1/4".

MODEL CHART

6102	VANTAGE	6402	VANTAGE CLASSIC
6202	INSIGHT	6502	INSIGHT CLASSIC
6302	PANAVIEW	6602	PANAVIEW CLASSIC

CLASSIC MODEL HAS A BLACK FRAME. FINISH SPECIFIED IS FOR THE TRIM ONLY. ORDER & PRICE BY CLASSIC TRIM COLOR.

Standard Finishes

PB	Polished Brass	01
SB	Satin Brass	02
AB	Antique Brass	04
B	Satin Black	09
TI	Textured Iron	12
P	Pewter*	13
TM	Textured Mocha	22
BB	Burnished Bronze	23
BT	Bronze Tone	25
BS	Brushed Steel*	28
TB	Textured Black	32
GV	Gold Vein	33
VI	Vintage Iron	36

Premium Finishes

PC	Polished Copper	05
AC	Antique Copper	06
PN	Polished Nickel	07
BN	Brushed Nickel	08
CCB	Charcoal Black	19
NI	Natural Iron	61

Super-Premium Finishes

ORB	Oil Rubbed Bronze	16
SBB	Sunburst Bronze	17
SBC	Sunburst Copper	20
MN	Midnight	30

* Not recommended for coastal areas.

Portland

ORDERING INFORMATION

1. INDICATE MODEL NUMBER (i.e. MODEL 5500).
2. SIZE (i.e. 3525)
3. FINISH
4. FULLFOLD DOORS ARE STANDARD. BI-FOLD OR CABINET DOORS ARE OPTIONAL, SEE OPTIONS BOX FOR PRICING .
5. HEAVY DUTY 19 GAUGE MESH IS STANDARD.
6. THE FRAME FINISH IS USED FOR PRICING.

Standard Finishes

PB	Polished Brass	01
AB	Antique Brass	04
BN	Brushed Nickel	08
B	Satin Black	09
TI	Textured Iron	12
P	Pewter	13
TM	Textured Mocha	22
BB	Burnished Bronze	23
BT	Bronze Tone	25
TB	Textured Black	32
GV	Gold Vein	33
VI	Vintage Iron	36

ORIGINAL II (Model 5500)

SIZE AND SPECIFICATION CHART

Width xx xx	Height xx xx	Original II will fit fireplace openings of these sizes				OVERALL FINISHED FRAME SIZE	
		WIDTH		HEIGHT		W	H
SIZE	WT	MIN	MAX	MIN	MAX		
3525	34	26 "	34 "	20 3/4"	24 3/4"	34 7/8" x	25 3/8"
3529	36	26 "	34 "	24 3/4"	28 3/4"	34 7/8" x	29 3/8"
3533	39	26 "	34 "	28 3/4"	32 3/4"	34 7/8" x	33 3/8"
4325	38	34 "	42 "	20 3/4"	24 3/4"	42 7/8" x	25 3/8"
4329	40	34 "	42 "	24 3/4"	28 3/4"	42 7/8" x	29 3/8"
4333	43	34 "	42 "	28 3/4"	32 3/4"	42 7/8" x	33 3/8"
5125	46	42 "	50 "	20 3/4"	24 3/4"	50 7/8" x	25 3/8"
5129	49	42 "	50 "	24 3/4"	28 3/4"	50 7/8" x	29 3/8"
5133	53	42 "	50 "	28 3/4"	32 3/4"	50 7/8" x	33 3/8"

TRADITIONAL II (Model 5600)

CONTEMPORARY (Model 5700)

SIZE AND SPECIFICATION CHART

Width xx xx	Height xx xx	Traditional II & Contemporary will fit fireplace openings of these sizes				OVERALL FINISHED FRAME SIZE	
		WIDTH		HEIGHT		W	H
SIZE	WT	MIN	MAX	MIN	MAX		
3524	33	26 "	34 "	20 3/4"	23 3/4"	35 1/16" x	24 3/8"
3527	35	26 "	34 "	23 3/4"	26 3/4"	35 1/16" x	27 3/8"
3530	37	26 "	34 "	26 3/4"	29 3/4"	35 1/16" x	30 3/8"
3533	39	26 "	34 "	29 3/4"	32 3/4"	35 1/16" x	33 3/8"
3924	37	30 "	38 "	20 3/4"	23 3/4"	39 1/16" x	24 3/8"
3927	39	30 "	38 "	23 3/4"	26 3/4"	39 1/16" x	27 3/8"
3930	41	30 "	38 "	26 3/4"	29 3/4"	39 1/16" x	30 3/8"
3933	43	30 "	38 "	29 3/4"	32 3/4"	39 1/16" x	33 3/8"
4324	37	34 "	42 "	20 3/4"	23 3/4"	43 1/16" x	24 3/8"
4327	39	34 "	42 "	23 3/4"	26 3/4"	43 1/16" x	27 3/8"
4330	41	34 "	42 "	26 3/4"	29 3/4"	43 1/16" x	30 3/8"
4333	43	34 "	42 "	29 3/4"	32 3/4"	43 1/16" x	33 3/8"
5124	45	42 "	50 "	20 3/4"	23 3/4"	51 1/16" x	24 3/8"
5127	48	42 "	50 "	23 3/4"	26 3/4"	51 1/16" x	27 3/8"
5130	51	42 "	50 "	26 3/4"	29 3/4"	51 1/16" x	30 3/8"
5133	53	42 "	50 "	29 3/4"	32 3/4"	51 1/16" x	33 3/8"

GALLERY GLASS FIRESCREENS

Width Height Gallery will fit fireplace OVERALL

xx xx openings of these sizes FINISHED

SIZE WT	WIDTH		HEIGHT		FRAME SIZE	
	MIN	MAX	MIN	MAX	W	H
3426 32	27 "	33 "	23 3/16"	26 3/16"	34 3/16" x	26 11/16"
3429 34	27 "	33 "	26 3/16"	29 3/16"	34 3/16" x	29 11/16"
3432 36	27 "	33 "	29 3/16"	32 3/16"	34 3/16" x	32 11/16"
4026 36	33 "	39 "	23 3/16"	26 3/16"	40 3/16" x	26 11/16"
4029 39	33 "	39 "	26 3/16"	29 3/16"	40 3/16" x	29 11/16"
4032 44	33 "	39 "	29 3/16"	32 3/16"	40 3/16" x	32 11/16"
4626 42	39 "	45 "	23 3/16"	26 3/16"	46 3/16" x	26 11/16"
4629 45	39 "	45 "	26 3/16"	29 3/16"	46 3/16" x	29 11/16"
4632 49	39 "	45 "	29 3/16"	32 3/16"	46 3/16" x	32 11/16"

Trimfyre

ORDERING INFORMATION

1. INDICATE MODEL 5100
2. INDICATE SIZE (i.e. 4031).
3. INDICATE DESIRED FINISH.
4. INDICATE DOOR STYLE
5. THE FRAME FINISH IS USED FOR PRICING.

PRODUCT INFORMATION

1. THESE PRODUCTS ARE STANDARD RECTANGULAR SIZES.
2. INCLUDES HIGH QUALITY, HEAVY DUTY 19 GAUGE MESH.
3. FULLFOLD DOORS ARE STANDARD. BI-FOLD OR CABINET DOORS ARE OPTIONAL, SEE OPTIONS BOX FOR PRICING .

SIZE AND SPECIFICATION CHART

Width xx xx	Trimfyre will fit fireplace openings of these sizes					OVERALL FINISHED FRAME SIZE	
	WT	WIDTH		HEIGHT		W	H
MIN		MAX	MIN	MAX			
3225	37	27 1/2"	31 3/8"	23 1/8"	24 1/8"	32 5/8" x	24 11/16"
3226	38	27 1/2"	31 3/8"	24 1/8"	25 1/8"	32 5/8" x	25 11/16"
3227	38	27 1/2"	31 3/8"	25 1/8"	26 1/8"	32 5/8" x	26 11/16"
3228	39	27 1/2"	31 3/8"	26 1/8"	27 1/8"	32 5/8" x	27 11/16"
3229	40	27 1/2"	31 3/8"	27 1/8"	28 1/8"	32 5/8" x	28 11/16"
3625	38	31 1/2"	35 3/8"	23 1/8"	24 1/8"	36 5/8" x	24 11/16"
3626	39	31 1/2"	35 3/8"	24 1/8"	25 1/8"	36 5/8" x	25 11/16"
3627	40	31 1/2"	35 3/8"	25 1/8"	26 1/8"	36 5/8" x	26 11/16"
3628	41	31 1/2"	35 3/8"	26 1/8"	27 1/8"	36 5/8" x	27 11/16"
3629	42	31 1/2"	35 3/8"	27 1/8"	28 1/8"	36 5/8" x	28 11/16"
3630	44	31 1/2"	35 3/8"	28 1/8"	29 1/8"	36 5/8" x	29 11/16"
3631	45	31 1/2"	35 3/8"	29 1/8"	30 1/8"	36 5/8" x	30 11/16"
4025	41	35 1/2"	39 3/8"	23 1/8"	24 1/8"	40 5/8" x	24 11/16"
4026	42	35 1/2"	39 3/8"	24 1/8"	25 1/8"	40 5/8" x	25 11/16"
4027	44	35 1/2"	39 3/8"	25 1/8"	26 1/8"	40 5/8" x	26 11/16"
4028	46	35 1/2"	39 3/8"	26 1/8"	27 1/8"	40 5/8" x	27 11/16"
4029	47	35 1/2"	39 3/8"	27 1/8"	28 1/8"	40 5/8" x	28 11/16"
4030	49	35 1/2"	39 3/8"	28 1/8"	29 1/8"	40 5/8" x	29 11/16"
4031	50	35 1/2"	39 3/8"	29 1/8"	30 1/8"	40 5/8" x	30 11/16"
4032	51	35 1/2"	39 3/8"	30 1/8"	31 1/8"	40 5/8" x	31 11/16"
4033	52	35 1/2"	39 3/8"	31 1/8"	32 1/8"	40 5/8" x	32 11/16"
4425	46	39 1/2"	43 3/8"	23 1/8"	24 1/8"	44 5/8" x	24 11/16"
4426	48	39 1/2"	43 3/8"	24 1/8"	25 1/8"	44 5/8" x	25 11/16"
4427	48	39 1/2"	43 3/8"	25 1/8"	26 1/8"	44 5/8" x	26 11/16"
4428	51	39 1/2"	43 3/8"	26 1/8"	27 1/8"	44 5/8" x	27 11/16"
4429	52	39 1/2"	43 3/8"	27 1/8"	28 1/8"	44 5/8" x	28 11/16"
4430	54	39 1/2"	43 3/8"	28 1/8"	29 1/8"	44 5/8" x	29 11/16"
4431	55	39 1/2"	43 3/8"	29 1/8"	30 1/8"	44 5/8" x	30 11/16"
4432	57	39 1/2"	43 3/8"	30 1/8"	31 1/8"	44 5/8" x	31 11/16"
4433	57	39 1/2"	43 3/8"	31 1/8"	32 1/8"	44 5/8" x	32 11/16"

Standard Finishes

PB	Polished Brass	01
AB	Antique Brass	04
BN	Brushed Nickel	08
B	Satin Black	09
TI	Textured Iron	12
P	Pewter	13
TM	Textured Mocha	22
BB	Burnished Bronze	23
BT	Bronze Tone	25
TB	Textured Black	32
GV	Gold Vein	33
VI	Vintage Iron	36

Z-Fyre Flex

The Z-Fyre Flex is an "inside fit" firescreen designed for use in factory built or masonry fireplaces. It is designed for use on fireplaces where the opening has not been reduced by marble, brick or other facing materials. The door is uniquely designed to provide 1/2" expansion in both the top and bottom frame pieces, for a total maximum expandability in height of 1 inch. There is no adjustment in width. In the event of an "out-of-square" fireplace, the Z-Fyre Flex can be adjusted differently for left and right height adjustments. The Z-Fyre Flex extends 1 1/4" into the fireplace opening.

STANDARD STOCK MODELS ONLY

ORDERING INFORMATION

1. SPECIFY MODEL 9100
2. USE THE Z-FYRE FLEX ORDER FORM.
3. SPECIFY DOOR TRIM FINISH, OUTER FRAME IS ALWAYS BLACK.
4. FULL-FOLD DOORS ONLY.
5. SLIDING MESH & GATE MESH ARE AVAILABLE AS SEPARATE KITS, SEE OPTIONS.

Aluminum Door Trim Finishes for Standards

PB	POLISHED BRASS	01
AB	ANTIQUÉ BRASS	04
B	SATIN BLACK	09
BS	BRUSHED STEEL	28

SIZE AND SPECIFICATION CHART

Width	Height	The standard Z-Fyre Flex will fit fireplace openings of these sizes				OVERALL FINISHED FRAME SIZE*	
		WIDTH		HEIGHT		W	H
xx	xx	WT	MIN	MAX	MIN	MAX	
3620			36 "	36 "	20 "	21 "	35 15/16" x 20
3621			36 "	36 "	21 "	22 "	35 15/16" x 21
3622			36 "	36 "	22 "	23 "	35 15/16" x 22
3623			36 "	36 "	23 "	24 "	35 15/16" x 23
4220			42 "	42 "	20 "	21 "	41 15/16" x 20
4221			42 "	42 "	21 "	22 "	41 15/16" x 21
4222			42 "	42 "	22 "	23 "	41 15/16" x 22
4223			42 "	42 "	23 "	24 "	41 15/16" x 23

* In fully retracted position. Add 1 inch to height in fully extended position.

SIZE	Standard Finishes
36XX Series	
42XX Series	

Options	
Cabinet Doors	
Sliding Mesh (separate kit)	
Wire Cloth Gate Mesh (separate kit)	
Tinted Glass (Smoke, Black, Bronze)	
Beveled Glass	

CUSTOM MODELS ONLY

ORDERING INFORMATION

1. SPECIFY MODEL 9100
2. USE THE Z-FYRE FLEX ORDER FORM.
3. SPECIFY DOOR TRIM FINISH & OUTER FRAME FINISH.
4. SLIDING MESH & GATE MESH ARE AVAILABLE AS SEPARATE KITS, SEE OPTIONS.

FIREPLACE OPENING SIZE	Aluminum Finishes
(For openings up to 28" high.)	
LESS THAN 39" WIDE	
39" BUT LESS THAN 45" WIDE	
45" TO 50" WIDE	

Standard Aluminum Finishes

PB	Polished Brass*	01
AB	Antique Brass*	04
B	Satin Black	09
TI	Textured Iron	12
TM	Textured Mocha	22
BB	Burnished Bronze	23
BT	Bronze Tone	25
BS	Brushed Steel*	28
TB	Textured Black	32
GV	Gold Vein	33
VI	Vintage Iron	36

*Available as Door Trim only. The frame is always powder coated.

Options	
Cabinet Doors	
Sliding Mesh	
Wire Cloth Gate Mesh	
Tinted Glass (Smoke, Black, Bronze)	
Beveled Glass	
Combination Finishes	
Heights over 28"	
Widths over 50"	

Z-Fyre Plus II

ORDERING INFORMATION

1. SPECIFY MODEL NUMBER (i.e. MODEL 7400)
2. SPECIFY SIZE (i.e. 4022)
3. SPECIFY FINISH (i.e. PB)
4. FRAME FINISH IS USED FOR PRICING.

PRODUCT INFORMATION

1. THESE PRODUCTS ARE STANDARD RECTANGULAR SIZES.
2. INCLUDES MOUNTING HARDWARE .
3. FULL-FOLD DOORS ARE STANDARD.
4. SLIDING AND GATE MESH ARE OPTIONAL.
5. **IMPORTANT** - THIS SCREEN IS DESIGNED FOR A 4-SIDE OVERLAP. WHEN SITTING ON A HEARTH, DEDUCT 1" FROM OPENING SIZE.
6. CLASSIC TRIM IS NOT AVAILABLE.

MODEL NUMBERS

7400 Z-V (VANTAGE STYLING), 7500 Z-I (INSIGHT STYLING), 7600 Z-P (PANAVIEW STYLING)

SIZE AND SPECIFICATION CHART

Width xx xx	Height xx xx	Z-Fyre plus will fit fireplace openings of these sizes				OVERALL FINISHED FRAME SIZE	
		WIDTH		HEIGHT		W	H
SIZE	WT	MIN	MAX	MIN	MAX		
3620	34	32 7/8"	36"	19"	20 1/4"	36 3/4"	x 20 3/4"
3621	35	32 7/8"	36"	20"	21 1/4"	36 3/4"	x 21 3/4"
3622	36	32 7/8"	36"	21"	22 1/4"	36 3/4"	x 22 3/4"
3623	37	32 7/8"	36"	22"	23 1/4"	36 3/4"	x 23 3/4"
3624	37	32 7/8"	36"	23"	24 1/4"	36 3/4"	x 24 3/4"
3625	38	32 7/8"	36"	24"	25 1/4"	36 3/4"	x 25 3/4"
3626	38	32 7/8"	36"	25"	26 1/4"	36 3/4"	x 26 3/4"
3627	39	32 7/8"	36"	26"	27 1/4"	36 3/4"	x 27 3/4"
3628	40	32 7/8"	36"	27"	28 1/4"	36 3/4"	x 28 3/4"
3629	40	32 7/8"	36"	28"	29 1/4"	36 3/4"	x 29 3/4"
3821*	38	34 7/8"	38"	20"	21 1/4"	38 3/4"	x 21 3/4"
3822*	39	34 7/8"	38"	21"	22 1/4"	38 3/4"	x 22 3/4"
3823*	39	34 7/8"	38"	22"	23 1/4"	38 3/4"	x 23 3/4"
3824*	40	34 7/8"	38"	23"	24 1/4"	38 3/4"	x 24 3/4"
3825*	40	34 7/8"	38"	24"	25 1/4"	38 3/4"	x 25 3/4"
3826*	41	34 7/8"	38"	25"	26 1/4"	38 3/4"	x 26 3/4"
3827*	41	34 7/8"	38"	26"	27 1/4"	38 3/4"	x 27 3/4"
3828*	42	34 7/8"	38"	27"	28 1/4"	38 3/4"	x 28 3/4"
3829*	42	34 7/8"	38"	28"	29 1/4"	38 3/4"	x 29 3/4"
4021	38	36 7/8"	40"	20"	21 1/4"	40 3/4"	x 21 3/4"
4022	39	36 7/8"	40"	21"	22 1/4"	40 3/4"	x 22 3/4"
4023	39	36 7/8"	40"	22"	23 1/4"	40 3/4"	x 23 3/4"
4024	40	36 7/8"	40"	23"	24 1/4"	40 3/4"	x 24 3/4"
4025	40	36 7/8"	40"	24"	25 1/4"	40 3/4"	x 25 3/4"
4026	41	36 7/8"	40"	25"	26 1/4"	40 3/4"	x 26 3/4"
4027	41	36 7/8"	40"	26"	27 1/4"	40 3/4"	x 27 3/4"
4028	42	36 7/8"	40"	27"	28 1/4"	40 3/4"	x 28 3/4"
4029	42	36 7/8"	40"	28"	29 1/4"	40 3/4"	x 29 3/4"
4221*	38	38 7/8"	42"	20"	21 1/4"	42 3/4"	x 21 3/4"
4222*	39	38 7/8"	42"	21"	22 1/4"	42 3/4"	x 22 3/4"
4223*	39	38 7/8"	42"	22"	23 1/4"	42 3/4"	x 23 3/4"
4224*	40	38 7/8"	42"	23"	24 1/4"	42 3/4"	x 24 3/4"
4225*	40	38 7/8"	42"	24"	25 1/4"	42 3/4"	x 25 3/4"
4226*	41	38 7/8"	42"	25"	26 1/4"	42 3/4"	x 26 3/4"
4227*	41	38 7/8"	42"	26"	27 1/4"	42 3/4"	x 27 3/4"
4228*	42	38 7/8"	42"	27"	28 1/4"	42 3/4"	x 28 3/4"
4229*	42	38 7/8"	42"	28"	29 1/4"	42 3/4"	x 29 3/4"
4421	40	40 7/8"	44"	20"	21 1/4"	44 3/4"	x 21 3/4"
4422	41	40 7/8"	44"	21"	22 1/4"	44 3/4"	x 22 3/4"
4423	42	40 7/8"	44"	22"	23 1/4"	44 3/4"	x 23 3/4"
4424	42	40 7/8"	44"	23"	24 1/4"	44 3/4"	x 24 3/4"
4425	43	40 7/8"	44"	24"	25 1/4"	44 3/4"	x 25 3/4"
4426	43	40 7/8"	44"	25"	26 1/4"	44 3/4"	x 26 3/4"
4427	44	40 7/8"	44"	26"	27 1/4"	44 3/4"	x 27 3/4"
4428	44	40 7/8"	44"	27"	28 1/4"	44 3/4"	x 28 3/4"
4429	45	40 7/8"	44"	28"	29 1/4"	44 3/4"	x 29 3/4"
4821	44	44 7/8"	48"	20"	21 1/4"	48 3/4"	x 21 3/4"
4822	44	44 7/8"	48"	21"	22 1/4"	48 3/4"	x 22 3/4"
4823	45	44 7/8"	48"	22"	23 1/4"	48 3/4"	x 23 3/4"
4824	45	44 7/8"	48"	23"	24 1/4"	48 3/4"	x 24 3/4"
4825	46	44 7/8"	48"	24"	25 1/4"	48 3/4"	x 25 3/4"
4826	46	44 7/8"	48"	25"	26 1/4"	48 3/4"	x 26 3/4"
4827	47	44 7/8"	48"	26"	27 1/4"	48 3/4"	x 27 3/4"
4828	47	44 7/8"	48"	27"	28 1/4"	48 3/4"	x 28 3/4"
4829	48	44 7/8"	48"	28"	29 1/4"	48 3/4"	x 29 3/4"

* THESE SERIES USE A 1" WIDER PIECE OF GLASS ON EACH CENTER PANEL.

Standard Finishes

PB	Polished Brass	01
SB	Satin Brass	02
AB	Antique Brass	04
B	Satin Black	09
TI	Textured Iron	12
P	Pewter*	13
TM	Textured Mocha	22
BB	Burnished Bronze	23
BT	Bronze Tone	25
BS	Brushed Steel*	28
TB	Textured Black	32
GV	Gold Vein	33
VI	Vintage Iron	36

Premium Finishes

PC	Polished Copper	05
AC	Antique Copper	06
PN	Polished Nickel	07
BN	Brushed Nickel	08
CCB	Charcoal Black	19
NI	Natural Iron	61

Super-Premium Finishes

ORB	Oil Rubbed Bronze	16
SBB	Sunburst Bronze	17
SBC	Sunburst Copper	20
MN	Midnight	30

* Not recommended for coastal areas.

SERIES SIZE				
(For openings from 19" to 29 1/4" high.)	*Satin Black	Standard Finishes	Premium Finishes	Super Premium
36xx, 38xx & 40xx Series				
42xx, 44xx & 48xx Series				

SINGLE CORNER SCREENS PRICING

FIREPLACE OPENING SIZE	PER INCH			
(For openings from 19" to 29 1/4" high.)	*Satin Black	Standard Finishes	Premium Finishes	Super Premium

Options	STD	CORNER
CABINET DOORS		
TINTED GLASS (Smoke, Black, Bronze)(per side)		
BEVELED GLASS (per side)		
SLIDING MESH		
WIRE CLOTH GATE MESH		
COMBINATION FINISHES (per additional color)		

SPECIAL DESIGN OPTIONS

1. Special top bar for exact height. Z-Fyre Plus Rectangle Z-Fyre Plus Single Corner	
2. Special side bar (cost each)	
3. Special bottom bar for exact height. Z-Fyre Plus Rectangle Z-Fyre Plus Single Corner	
4. For special screen sizes requiring:	Custom frame height. Custom frame width.